



PROFILE OF INNOVATION



Schluter® Profiles
Unleash your creativity

Details MAKE THE difference

Achieve a tile installation that is as beautiful as it is functional through the use of Schluter®-Systems' finishing and edge-protection profiles.



ABOVE: **ECK-E** edging profile in stainless steel applied to the outside corners of the bathtub skirting. **OPPOSITE:** **SCHIENE** in polished brass applied to the niche.

For more information on Schluter® profiles including available accessories, finishes, and colors visit www.schluter.com



QUADEC square-shaped profile and corner piece accessories in stainless steel applied to the tile edges on the wall, and used to produce a decorative accent above the sink. **DILEX-EHK** cove-shaped profile and corners in stainless steel used to create a smooth transition between the shower floor and walls.



QUADEC square-shaped profile and corners in Tuscan bronze applied to tile edges and outside corners of the shower including the shower bench and niche, and used to finish the tile base. **DILEX-AHK** cove-shaped profile and corners in Tuscan bronze used to create a smooth transition between the walls and floor.



RONDEC bullnose profile and corner piece accessories in bright black used to finish the bathtub surround.



RONDEC bullnose profile and corner piece accessories in brushed black applied to the tile edges on the walls and partitions.



QUADEC square-shaped profile and corner piece accessories in satin nickel applied to the tile edges on the shower bench. **DILEX-AHK** cove-shaped profile used to create a smooth transition between the bench and wall. **DILEX-EKE** PVC corner movement profile inserted along the shower floor. **KERDI-BOARD-ZA** u-shaped profile in brushed stainless steel used to finish the edge of the partition wall.



For more information on Schluter® profiles including available accessories, finishes, and colors visit www.schluter.com



RONDEC-CT double-rail profile in Tuscan beige applied to the sink rail. **RONDEC** bullnose profile applied to the tiled edges on the backsplash. **DILEX-AHK** cove-shaped profile used to create a smooth transition between the countertop and backsplash. **QUADEC-FS** double-rail profile used to frame the decorative mosaic insert in the backsplash. **DILEX-EKE** PVC corner movement joint profile in bright white inserted in the backsplash corners to create a seamless transition. Matching corner pieces used throughout.



RONDEC-STEP in satin anodized aluminum used to produce the sink rail. **RONDEC** bullnose profile and large radius sink corners used to produce the tiled-under sink. **DILEX-AHK** cove-shaped profile in satin anodized aluminum used to create a smooth transition between the countertop and backsplash.




For more information on Schluter® profiles including available accessories, finishes, and colors visit www.schluter.com




TREP-E stair-nosing profile in stainless steel applied to the stairs. **DILEX-EHK** cove-shaped profile in stainless steel used to create a smooth transition between the floor and first step. **DESIGNLINE** decorative border profile in stainless steel used as a decorative accent in the floor.




DITRA uncoupling membrane installed over the concrete slab allowed the **DILEX-KSN** movement joint profile to be placed along one of the curves to create a natural-looking break between the two different tile colors.



DILEX-KSN incorporated in the tile field of this indoor parking garage.



Many Schluter® profiles are available with a special radius perforation to suit curved designs. Look for the radius icon in your Illustrated Price List.




For more information on Schluter® profiles including available accessories, finishes, and colors visit www.schluter.com

New




Schluter®-INDEC

INDEC is an anodized aluminum profile for outside corners of tiled surfaces and tiled edges. The reveal of the profile forms a square recessed groove for modern decorative design and interesting contrasts.



Schluter®-QUADEC-K

QUADEC-K is a variant of the Schluter®-QUADEC profile without an anchoring leg. It features an open cavity that is filled with thin-set mortar to secure the profile in the assembly. Alternatively, the profile may be installed with an adhesive such as Schluter®-KERDI-FIX. QUADEC-K is installed in wall applications (e.g., wainscotings and bases) with coverings up to 1/2" (12.5 mm) thick.



Edging solution for installations over existing tile

QUADEC-K can be used to finish the edges of installations where thin porcelain panels are applied over an existing tile covering. The profile effectively covers both the edge of the existing covering and the panels.





Schluter®-DECO-DE

DECO-DE is a stainless steel finishing and edge-protection profile for 135° outside corners of tiled surfaces.



Schluter®-DECO-SG

DECO-SG is an anodized aluminum, decorative profile featuring a 1/2" (12.5 mm) wide channel that creates a shadow gap between tile courses or other wall covering. The profile may also be used as a support channel for glass walls, up to a thickness of 3/8" (10 mm). DECO-SG features a trapezoid-perforated anchoring leg that is secured in the bond coat beneath the tile.



Schluter®-SHOWERPROFILE-WS

The SHOWERPROFILE-WS is a two-part profile that forms a splashguard at the entrance of barrier-free showers. The anodized aluminum support profile is set in conjunction with the tile covering and can be combined with either a semi-circular lip or a collapsible upright lip. Both variants allow for wheelchair accessibility.



Schluter®-SHOWERPROFILE-WSK

The SHOWERPROFILE-WSK is a two-part profile that forms a splashguard at the entrance of barrier-free showers. The anodized aluminum support profile is adhered to existing coverings and can be combined with either a semi-circular lip or a collapsible upright lip. Both variants allow for wheelchair accessibility.

